


1:1000

第1张	共12张
(K0+0.000 ~ K0+200.000)	





1:1000



序号	J01	参数A1	109.54
交点桩号	K0+540.649	Ls1	60
转角	105.68°(R)	参数A2	109.545
半径R	200	Ls2	60

序号	JD1	参数A1	109.545	T1	294.837
交点桩号	K0+540.649	Ls1	60	T2	294.837
转角	105.68°(R)	参数A2	109.545	曲线总长	428.891
半径R	200	Ls2	60	外距E	132.341




1:1000

第4张

共12张

(K0+600.000 ~ K0+800.000)





1:1000



K0+800.000
K0+800.000

L=445.396 R=∞

K1+000.000
K1+000.000

10.5
0.75
0.75

1:1000

第6张	共12张
(K1+0.000 ~ K1+200.000)	




序号	JD2
交点桩号	K1+292.704
转角	59.289°(L)
曲线R	250



序号	JD2	参数A1	122.474	T1	172.604
交点桩号	K1+292.704	Ls1	60	T2	172.604
转角	59.289°(L)	参数A2	122.474	曲线总长	318.698
半径R	250	Ls2	60	外距E	38.341

1:1000

北



序号	JD3	参数A1	161.245	T1	160.921
交点桩号	K1+600.517	Ls1	50	T2	160.921
转角	29.287°(L)	参数A2	161.245	曲线总长	315.799
半径R	520	Ls2	50	外距E	17.665



序号	JD3	参数A1	161.245	T1	160.921
交点桩号	K1+600.517	Ls1	50	T2	160.921
转角	29.287°(L)	参数A2	161.245	曲线总长	315.799
半径R	520	Ls2	50	外距E	17.665





1:1000

北



序号	JD4	参数A1	100	T1	154.034
交点桩号	K2+60.243	Ls1	50	T2	154.034
转角	65.527°(R)	参数A2	100	曲线总长	278.733
半径R	200	Ls2	50	外距E	38.457



