







地质概况	260.57260.571															
设计高程	258.302	256.952	256.262	255.942	255.382	255.212	255.802	257.362	259.332	261.612	263.322	264.272	263.332	263.382	263.332	263.882
自然高程	258.302	256.952	256.262	255.942	255.382	255.212	255.802	257.362	259.332	261.612	263.322	264.272	263.332	263.382	263.332	263.882
设计坡度与距离	0.821% 339															
填挖高	2.431	3.943	4.803	5.286	6.004	6.339	5.913	4.517	2.713	0.6	-1.013	-1.734	-1.574	-0.469	-0.348	-0.133
平曲线	L=245.812 α=40.928° A=109.545 Ls=60 R=200 E=132.341 T=294.837 Ly=30.8 JD1 αy=105.68°															
交叉口																
超高图																
桩号	A K0+0.000	A K0+20.000	A K0+40.000	A K0+60.000	A K0+80.000	A K0+100.000	A K0+120.000	A K0+140.000	A K0+160.000	A K0+180.000	A K0+200.000	A K0+220.000	A K0+240.000	A K0+260.000	A K0+280.000	A K0+300.000




地质概况																
设计高程	263.882	263.835	263.663	264.326	264.118	264.742	265.538	266.092	266.102	267.442	267.952	268.192	268.522	269.052	269.622	269.812
自然高程	263.882	263.835	263.663	264.326	264.118	264.742	265.538	266.092	266.102	267.442	267.952	268.192	268.522	269.052	269.622	269.812
设计坡度与距离	0.821% 78.477 1.553% 260.523															
填挖高	-0.531	-0.309	0.325	-0.467	0.123	0.229	-0.084	-0.689	-0.817	-0.517	-1.542	-1.741	-1.669	-1.696	-1.921	-1.771
平曲线	R=200 E=132.341 T=294.837 Ly=308.891 JD1 αy=105.68° A=109.545 Ls=60 L=445.396 α=146.607°															
交叉口																
超高图																
桩号	A K0+339.000	A K0+360.000	A K0+380.000	A K0+400.000	A K0+420.000	A K0+440.000	A K0+460.000	A K0+480.000	A K0+500.000	A K0+520.000	A K0+540.000	A K0+560.000	A K0+580.000	A K0+600.000	A K0+620.000	A K0+678.000




地质概况																
设计高程	269.818	269.658	270.224	271.063	271.702	271.182	269.799	269.732	270.742	271.603	272.342	272.182	271.612	270.837	270.642	270.712
自然高程	268.044	268.386	268.696	269.007	269.318	269.616	269.762	269.714	269.538	269.357	269.177	268.997	268.817	268.636	268.456	268.276
设计坡度与距离																
填挖高	-1.771	-1.279	-1.528	-2.056	-2.391	-1.569	-0.035	-0.018	-1.204	-2.248	-3.163	-3.19	-2.799	-2.201	-2.205	-2.369
平曲线																
交叉口																
超高图																
桩号	A K0+678.000	A K0+700.000	A K0+720.000	A K0+740.000	A K0+760.000	A K0+780.000	A K0+800.000	A K0+820.000	A K0+840.000	A K0+860.000	A K0+880.000	A K0+900.000	A K0+920.000	A K0+940.000	A K0+960.000	A K1+17.000



地质概况																
设计高程	267.789	267.322	267.463	267.748	268.032	268.317	268.601	268.886	269.171	269.455	269.739	270.024	270.308	270.593	270.877	271.162
自然高程	267.789	267.322	267.463	267.748	268.032	268.317	268.601	268.886	269.171	269.455	269.739	270.024	270.308	270.593	270.877	271.162
设计坡度与距离	1.423%															
填挖高	-0.668	-0.15	3.124	3.887	4.611	5.016	5.142	4.642	4.032	3.9	4.087	3.68	3.785	3.379	2.411	2.845
平曲线	JD2 $\alpha z=59.289^\circ$ R=250 E=38.341 T=172.604 Ly=198.696 L=122.474 Ls=60 $\alpha=87.318^\circ$ A=161.245 Ls=50 JD3 $\alpha z=29.287^\circ$ R=520 E=17.665 T=160.921 Ly=215.799															
交叉口																
超高图	-2% -0.075 -2% -0.075 2% 0.075 3% 0.113 3% 0.113 2% 0.075 -3% -0.113 -2% -0.075															
桩号	A K1+356.000	A K1+360.000	A K1+380.000	A K1+400.000	A K1+420.000	A K1+440.000	A K1+460.000	A K1+480.000	A K1+500.000	A K1+520.000	A K1+540.000	A K1+560.000	A K1+580.000	A K1+600.000	A K1+620.000	A K1+640.000



地质概况																			
设计高程	270.788	271.128	272.015	272.557	272.72.3	272.988	272.584	272.828	272.869	272.788	273.047	272.478	273.026	273.318	272.817	274.487	272.568	274.747	272.318
自然高程	270.788	271.128	272.015	272.557	272.72.3	272.988	272.584	272.828	272.869	272.788	273.047	272.478	273.026	273.318	272.817	274.487	272.568	274.747	272.318
设计坡度与距离																			
填挖高	1.155	0.887	-0.257	-0.402	0.043	0.258	0.548	-0.502	-1.912	-2.422	-2.739	-2.839	-1.299	-2.317	-3.262	3.543	3.967	-4.051	-3.092
平曲线	JD3 $\alpha z=29.287^\circ$ $R=520$ $E=17.665$ $T=160.921$ $L_y=215.799$ $A=161.245$ $L_s=50$ $L=150.815$ $\alpha=58.031^\circ$ $A=100$ $L_s=50$ $R=200$ $E=38.457$ $T=154.034$ $L_y=178.733$ $\alpha y=65.527^\circ$ JD4																		
交叉口																			
超高图	-2% -0.075 -2% -0.075 -2% -0.075 -2% -0.075 -2% -0.075 -2% -0.075 -2% -0.075 -2% -0.075 -2% -0.075 -2% -0.075																		
桩号	A K1+695.000	A K1+700.000	A K1+720.000	A K1+740.000	A K1+760.000	A K1+780.000	A K1+800.000	A K1+820.000	A K1+840.000	A K1+860.000	A K1+880.000	A K1+900.000	A K1+920.000	A K1+940.000	A K1+960.000	A K1+980.000	A K2+0.000	A K2+20.000	A K2+34.000



地质概况																				
设计高程	273.238	272.778	271.926	270.178	268.498	267.124	266.654	266.236	264.922	263.268	262.222	261.422	261.232	261.148	261.692	262.022	262.518	262.518	262.518	262.518
自然高程	273.238	272.778	271.926	270.178	268.498	267.124	266.654	266.236	264.922	263.268	262.222	261.422	261.232	261.148	261.692	262.022	262.518	262.518	262.518	262.518
设计坡度与距离																				
填挖高	-3.092	-2.704	-2.087	-0.644	0.636	1.499	1.431	1.284	2.083	3.203	3.912	4.443	4.163	3.711	2.626	1.76	0.986	0.986	0.986	0.986
平曲线																				
交叉口																				
超高图																				
桩号	A K2+34.000	A K2+40.000	A K2+60.000	A K2+80.000	A K2+100.000	A K2+120.000	A K2+140.000	A K2+160.000	A K2+180.000	A K2+200.000	A K2+210.000	A K2+220.000	A K2+240.000	A K2+260.000	A K2+280.000	A K2+300.000	A K2+320.000	A K2+326.169	A K2+326.169	A K2+326.169